

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("6826748").PN.	USPAT	OR	OFF	2004/12/07 12:54
L2	4	"090236".	USPAT	OR	OFF	2004/12/07 12:55
L3	1	"090236"	US-PGPUB	OR	OFF	2004/12/07 12:55
S1	286	(717/136).CCLS.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/06 18:51
S2	211	S1 and @ad<"20020304"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 16:30
S3	5	S2 and ASCII and EBCDIC	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 17:03
S4	5	S2 and (memory adj file\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 16:31
S5	4	S2 and ASCII and EBCDIC and IBM	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 17:04
S6	0	S2 and IBM.as.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 17:04
S7	0	("IBM.AS.").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 17:04
S9	0	S1 and IBM.AS.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 17:06
S10	0	S1 and "IBM".AS.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 17:06
S11	0	"717.ccls" and "IBM".AS.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 17:06
S12	0	(717/136andIBM.AS.).CCLS.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 17:07

S13	0	("IBM.AS.").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 17:19
S14	568	IBM.AS.	USPAT	OR	OFF	2004/12/02 17:21
S15	566	S14 and @ad<"20020304"	USPAT	OR	OFF	2004/12/02 17:20
S16	10966	IBM.AS.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 17:21
S17	10605	S16 and @ad<"20020304"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 17:27
S18	5	S17 and ASCII and EBCDIC	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 17:23
S19	5	S17 and (ASCII or (American adj1 Standard adj1 Code adj1 for adj1 Information adj1 Interchange)) and (EBCDIC or (Extended adj1 Binary adj1 Coded adj1 Decimal adj1 Information adj1 Code))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 17:32
S20	0	S19 and (memory adj1 file\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 17:26
S21	10605	S17 and @ad<"20020304"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 17:27
S22	1	S17 and (memory adj1 file\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 17:28
S23	0	S17 and (porting near4 file\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 17:29
S24	0	S17 and (porting)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 17:29
S25	0	S19 and "S/390"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 17:32

S26	33	ASCII and EBCDIC and "S/390"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 18:19
S27	29	S26 and @ad<"20020304"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 18:23
S28	29	S27 and (porting or conver\$5)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 17:36
S29	20	S28 and (read and write)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 17:36
S30	0	S29 and (memory adj1 file\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 17:37
S31	1	S26 and (memory adj1 file\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 17:37
S32	274	(open\$3 or access\$3) near3 (memory adj1 file\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 18:26
S33	235	S32 and @ad<"20020304"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 18:31
S34	22	(open\$3) near3 (memory adj1 file\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 18:26
S35	20	S34 and @ad<"20020304"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 18:26
S36	235	S33 and (memory adj1 file\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 18:32
S37	10	S36 and "717/"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/02 18:32
S38	0	mapping adj1 file\$1 adj1 to adj1 memory	USPAT	OR	OFF	2004/12/02 19:20

S39	81	mapping near3 file\$1 near3 memory	USPAT	OR	OFF	2004/12/02 19:20
S40	49	(mapping near3 file\$1).ab.	USPAT	OR	OFF	2004/12/02 19:22
S41	0	(mapping near3 file\$1 near3 memory).ab.	USPAT	OR	OFF	2004/12/02 19:21
S42	0	(mapping near3 file\$1 near4 memory).ab.	USPAT	OR	OFF	2004/12/02 19:22
S43	0	((mapping near3 file\$1) near4 memory).ab.	USPAT	OR	OFF	2004/12/02 19:22
S44	29	(mapping and file\$1 and memory).ab.	USPAT	OR	OFF	2004/12/02 19:23
S45	78	(read near2 file\$1) and (write near2 file\$1) and ASCII and EBCDIC	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/03 14:46
S46	78	S45 and ((temporary or permanent) near\$3 file\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/03 14:13
S47	147	S46 and s/390 or z/os	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/03 14:05
S48	6	S46 and (s/390 or z/os)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/03 14:05
S49	464	(read and write) and ASCII and EBCDIC	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/03 14:12
S50	450	S49 and ((temporary or permanent) near\$3 file\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/03 14:13
S51	8	S45 and ((temporary or permanent) near3 file\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/03 14:46
S52	106	(memory near3 file\$1) and ASCII and EBCDIC	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/03 14:47
S53	48	S52 and (writ\$3 near3 file\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/03 14:48

S54	41	S53 and @ad<"20020304"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/03 14:52
S55	36	S54 and port\$3	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/03 14:54
S56	30	S55 and (((source adj1 code) or source) same file\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/03 14:56
S57	13	S54 and (porting or ports)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/03 14:55
S58	13	S57 and (((source adj1 code) or source) same file\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/03 16:01
S59	783	(scratch adj (memory or area or RAM)) or (scratch adj file\$1) and (ASCII same EBCDIC)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/03 16:05
S60	5	((scratch adj (memory or area or RAM)) or (scratch adj file\$1)) and (ASCII same EBCDIC)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/12/03 16:05
S61	5	((scratch adj (memory or area or RAM)) or (scratch adj file\$1)) and (ASCII same EBCDIC)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2004/12/03 16:06
S62	5	((scratch adj (memory or area or RAM)) or (scratch adj file\$1)) and (ASCII same EBCDIC)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/12/03 16:08
S63	5	((scratch adj (memory or area or RAM)) or (scratch adj file\$1)) and (ASCII and EBCDIC)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/12/03 16:44
S64	107	Unix and s/390 and memory and file\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/12/03 16:47

S65	3	Unix and s/390 and (memory adj file\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/12/03 16:50
S66	33	s/390 and (file\$1) and (ascii same ebcdic)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/12/03 17:30
S67	31	s/390 and (file\$1) and (ascii same ebcdic) and ((source adj code) or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/12/03 17:31
S68	27	S67 and @ad<"20020304"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/12/03 18:32
S69	17	S68 and c++	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/12/03 18:05
S70	1	(ebcdic and (conver\$5 and transl\$4) and ascii).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/12/03 18:13
S71	12	(ebcdic and (conver\$5 or transl\$4) and ascii).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/12/03 18:14
S72	10	S71 and (@ad<"20020304" or @rlad<"20020304" or @prad<"20020304")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/12/03 18:16
S73	5	"090236"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/12/03 18:33
S74	9	"086939"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/12/03 18:34

S75	10	"086341"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/12/03 18:35
S76	7	"057002"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/12/03 18:37
S77	6	"045007"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/12/03 18:39
S78	8	"047312"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/12/03 18:46
S79	1	Unix same s/390 same (memory adj file\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/12/06 12:50
S80	3	Unix and s/390 and (memory adj file\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/12/06 17:44
S81	12482	((file\$1 or object\$1 or code or data) near2 (source or memory)) and ((second or additional or another) near2 (instruction or command or module or (plug-in or plugin or (plug adj in)) or executable)) and (convert\$1 or translate\$1 or translation\$1 or conversion\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/12/06 13:17
S82	7504	("717").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/12/06 13:15
S83	679	S82 and S81	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/12/06 13:17

S84	12512	((file\$1 or object\$1 or code or data) near2 (source or memory)) and ((second or additional or another) near2 (instruction or command or module or (plug-in or plugin or (plug adj in)) or executable)) and (convert\$1 or translate\$1 or translation\$1 or conversion\$1 or porting)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/12/06 13:20
S85	679	S84 and S82	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/12/06 14:10
S86	62	S85 and (open\$3 near2 file\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/12/06 14:09
S87	1	S86 and EBCDIC and ASCII	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/12/06 14:10
S88	8	S85 and EBCDIC and ASCII	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/12/06 14:11
S89	7	S88 and @ad<"20020304"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/12/06 15:25
S90	3	S82 and (instruction near3 open near2 file\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/12/06 15:26
S91	15	S82 and (instruction same (open near2 file\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/12/06 15:26
S92	0	(plug-in or (plug adj in) or plugin) and API and ASCII and EBCDIC and (memory adj file\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/12/06 17:46
S93	0	(plug-in or (plug adj in) or plugin) and API and ASCII and EBCDIC and (memory near2 file\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/12/06 17:47
S94	238	(plug-in or (plug adj in) or plugin) and API and (memory near2 file\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/12/06 18:51
S95	4680	("717").CLAS.	USPAT	OR	OFF	2004/12/06 18:52
S96	4621	S95 and @ad<"20020304"	USPAT	OR	OFF	2004/12/06 18:53

S97	347	S96 and BIOS	USPAT	OR	OFF	2004/12/06 18:53
-----	-----	--------------	-------	----	-----	------------------